## In the Claims:

## 1-39. Cancelled

40. (Currently amended) A method of treating a tumor or cancer in a patient in need thereof comprising administering to said patient a pharmaceutical composition in oral or systemic dosage form comprising an effective amount of a compound having the structure:

$$R^{1}$$
  $R^{2}$   $R^{1}$   $R^{2}$   $R^{2}$   $R^{2}$   $R^{2}$ 

wherein R<sup>1</sup> is a methyl group and R<sup>2</sup> is an undecyl group or a pharmaceutically acceptable salt thereof, in combination with a pharmaceutically acceptable carrier, additive or excipient, wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, uterine, anal, ocular, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, ovarian, prostate, testicular, renal, brain/cns, head and neck, throat, esophageal, mouth, pharynx, larynx, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carcinoma, small cell lung, squamous cell carcinoma, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, Wilms Tumor, neuroblastoma and lymphoma.

## 41-49. Canceled.

50. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, anal and oral cancers, eye or ocular cancer, stomach, colon, bladder, rectal, liver, panereatic, lung, breast, cervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/ens, head and neck, throat, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute

myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carinoma and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.

- 51. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, uterine, ovarian, anal, and oral cancers, eye or ocular, cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, eervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/cns, head and neck, throat, eutaneous malignaney, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carcinoma, and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.
- 52. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said-cancer is selected from the group consisting of cervical, anal-and oral cancers, eye or ocular, cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, cervix uteri, corpus uteri, ovary, ovarian, prostate, testis, renal, brain/cns, head, and neck, neck and throat, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carinoma and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.
- 53. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of eervical, anal and oral cancers, eye or ocular cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, cervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/ens, head and neck, throat, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carcinoma, and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma,

angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.

- 54. (Currently amended) The method according to claim 40 wherein said tumor-is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, anal, and oral cancers, eye or testicular ocular-cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, cervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/ens, head and neck, throat, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carcinoma and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.
- 55. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, anal and oral cancers, eye or ocular cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, cervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/cns, head, and-neck, throat, mouth, pharynx, larynx, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carinoma and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, and esophageal, larynx, kidney and lymphoma.
- 56. (Currently amended) The method according to claim 40 wherein said tumor is selected from the group consisting of neurofibromatosis, tuberous sclerosis and hemangiomas and said cancer is selected from the group consisting of cervical, anal-and oral cancers, eye or-ocular, cancer, stomach, colon, bladder, rectal, liver, pancreatic, lung, breast, cervix uteri, corpus uteri, ovary, prostate, testis, renal, brain/cns, head and neck, throat, cutaneous malignancy, skin melanoma, acute lymphocytic leukemia, acute myelogenous leukemia, Ewing's Sarcoma, Kaposi's Sarcoma, basal cell carinoma and squamous cell carcinoma, small cell lung cancer, choriocarcinoma, rhabdomyosarcoma, angiosarcoma, hemangioendothelioma, Wilms Tumor, neuroblastoma, mouth/pharynx, esophageal, larynx, kidney and lymphoma.

- 57. Canceled.
- 58-65. (Canceled).
- 66. (Currently amended) The method according to claim  $49 \pm 0$  wherein said cancer is cutaneous malignancy.